


PIERŚCIEŃ JV

d ₁	s	○										⊕				D A N E						
		Δ	d ₃	Δ	b	Δ	d ₅ min.	C ₁	C ₂	(kg/1000)	d ₂	Δ	m min.	t	n	FN (kN)	FR (kN)	g	FRg (kN)	AN (mm ²)	K (kN/mm)	
10	0.60	-0.05	10.9	+0.42 -0.13	1.5	±0.1	0.9	6.7	7.3	0.15	10.5	+0.11	0.70	0.25	0.7	0.52	1.7	0.5	1.0	3.1	5.7	
12	0.60		13.1		1.8		1.0	8.1	8.8	0.25	12.6		0.70	0.30	0.9	0.75	1.8	0.8	1.0	4.5	5.5	
15	0.80		16.1		2.0		1.0	10.7	11.5	0.41	15.7		0.90	0.35	1.0	1.33	3.3	1.0	1.9	8.0	11.0	
16	1.00		17.3		2.1		1.3	11.5	12.4	0.53	16.8		1.10	0.40	1.2	1.67	5.2	1.0	3.1	10.0	22.7	
17	1.00		18.3		2.1		1.3	12.5	13.4	0.58	17.8		1.10	0.40	1.2	1.70	5.8	1.0	3.0	11.0	21.2	
18	1.00	-0.06	19.5	+0.50 -0.25	2.2	±0.2	1.3	13.3	14.4	0.62	19.0	+0.15	1.10	0.50	1.5	1.78	6.3	1.0	3.0	14.0	20.4	
19	1.00		20.5		2.2		1.3	14.3	15.4	0.66	20.0		1.10	0.50	1.5	2.50	6.6	1.0	2.8	15.0	19.2	
20	1.00		21.5		2.3		1.3	15.1	16.2	0.80	21.0		1.10	0.50	1.5	2.66	7.0	1.0	2.9	16.0	19.0	
21	1.00		22.5		2.4		1.3	15.9	17.0	0.81	22.0		1.10	0.50	1.5	2.73	7.4	1.0	2.8	17.0	18.5	
22	1.00		23.5		2.4		1.3	16.9	18.0	0.83	23.0		1.10	0.50	1.5	2.80	7.5	1.0	2.8	17.0	17.8	
24	1.20	-0.06	25.9	+0.90 -0.39	2.8	±0.2	1.5	18.1	19.4	1.30	25.2	+0.21	1.30	0.60	1.8	3.68	14.5	1.0	4.8	22.0	29.9	
25	1.20		26.9		2.8		1.5	18.9	20.2	1.40	26.2		1.30	0.60	1.8	4.00	14.8	1.0	5.0	24.0	30.6	
26	1.20		27.9		3.0		1.5	19.7	21.0	1.50	27.2		1.30	0.60	1.8	4.17	15.3	1.0	5.2	25.0	31.4	
27	1.20		29.1		3.0		1.5	20.7	22.2	1.53	28.4		1.30	0.70	2.1	5.00	15.0	1.0	5.1	30.0	29.9	
28	1.20		30.1		3.1		1.5	21.5	23.0	1.80	29.4		1.30	0.70	2.1	5.10	15.3	1.0	5.2	31.0	30.4	
30	1.20	-0.07	32.1	+1.10 -0.46	3.2	±0.2	1.5	23.3	24.8	2.03	31.4	+0.25	1.30	0.70	2.1	5.50	14.9	1.0	5.1	33.0	29.0	
32	1.20		34.4		3.3		1.5	25.1	26.9	2.05	33.7		1.30	0.85	2.5	7.00	14.1	1.0	4.9	42.0	27.4	
33	1.20		35.5		3.3		1.5	26.1	27.9	2.35	34.7		1.30	0.85	2.5	7.30	13.8	1.0	4.8	44.0	26.6	
35	1.50		37.8		3.4		1.7	27.9	30.0	3.20	37.0		1.60	1.00	3.0	9.20	26.4	1.5	6.3	55.0	49.6	
36	1.50		38.8		3.6		1.7	28.5	30.6	3.23	38.0		1.60	1.00	3.0	9.70	27.5	1.5	6.6	58.0	51.5	
38	1.50	-0.07	40.8	±0.3	3.8	±0.2	1.7	30.1	32.2	3.68	40.0	+0.30	1.60	1.00	3.0	10.20	28.0	1.5	6.7	61.0	51.2	
40	1.75		43.5		4.2		2.0	31.0	33.7	4.75	42.5		1.85	1.25	3.8	13.50	45.5	2.0	8.4	81.0	82.5	
42	1.75		45.5		4.2		2.0	33.0	35.7	5.20	44.5		1.85	1.25	3.8	14.10	45.5	2.0	8.5	85.0	82.5	
45	1.75		48.5		4.2		2.0	35.6	38.7	6.00	47.5		1.85	1.25	3.8	15.00	44.0	2.0	8.4	90.0	79.5	
47	1.75		50.5		4.7		2.0	37.0	39.7	6.50	49.5		1.85	1.25	3.8	15.80	45.0	2.0	8.7	95.0	81.3	
48	1.75	-0.07	51.5	±0.3	4.7	±0.2	2.0	38.0	40.7	7.00	50.5	+0.30	1.85	1.25	3.8	16.00	48.0	2.0	9.1	96.0	85.8	
50	2.00		54.2		5.2		2.5	39.0	42.2	8.50	53.0		2.15	1.50	4.5	20.00	69.0	2.0	13.4	120.0	124.0	
52	2.00		56.2		5.2		2.5	41.0	44.2	9.00	55.0		2.15	1.50	4.5	20.80	66.5	2.0	13.3	125.0	121.0	
55	2.00		59.2		5.2		2.5	44.0	47.2	10.00	58.0		2.15	1.50	4.5	22.20	66.0	2.0	13.3	133.0	118.0	
57	2.00		61.2		5.2		2.5	46.0	49.2	10.25	60.0		2.15	1.50	4.5	23.00	65.0	2.0	13.1	138.0	115.0	
58	2.00	-0.07	62.2	±0.3	5.2	±0.2	2.5	47.0	50.2	10.50	61.0	+0.30	2.15	1.50	4.5	23.30	64.0	2.0	12.9	140.0	113.0	
60	2.00		64.2		5.2		2.5	49.0	52.2	11.25	63.0		2.15	1.50	4.5	24.20	62.0	2.0	12.7	145.0	111.0	
62	2.00		66.2		5.2		2.5	51.0	54.2	11.75	65.0		2.15	1.50	4.5	25.00	60.0	2.0	12.3	150.0	107.0	
65	2.50		69.2		5.7		2.5	52.2	56.0	16.25	68.0		2.65	1.50	4.5	25.80	122.0	2.5	20.6	155.0	218.0	
67	2.50		71.5		5.7		2.5	54.7	58.0	17.30	70.0		2.65	1.50	4.5	26.80	122.0	2.5	20.8	161.0	218.0	



industrial - inox

ul. Władysława Łokietka 167B/a, 31-263 Kraków, tel./fax: 012 415 15 01
kom. 601 53 33 66, 504 25 99 11, e-mail: industrial@segery.com.pl www.segery.eu

PIERŚCIENIE JV

d ₁	○									H				D A N E					
	s	Δ	d ₃	Δ	b	Δ	d ₅ min.	$\frac{\Delta}{(kg/1000)}$	d ₂	Δ	m min.	t	n	FN (kN)	FR (kN)	g	FRg (kN)	AN (mm ²)	K (kN/mm)
68	2.50		72.5	+1.10	5.7		2.5	17.75	71.0	+0.30	2.65	1.50	4.5	27.20	123.0	2.5	21.0	163	220.0
72	2.50	-0.07	76.5	-0.46	6.0		2.5	19.60	75.0		2.65	1.50	5.3	28.80	119.0		20.8	173	214.0
80	2.50		85.5		6.0		2.5	22.90	83.5		2.65	1.75		37.40	110.0		19.6	224	196.0
85	3.00		90.5		6.6		3.0	30.00	88.5		3.15	1.75		39.70	176.0	3.0	27.2	238	318.0
90	3.00		95.5	+1.30	6.6	±0.3	3.0	33.00	93.5	+0.35	3.15	1.75		42.00	169.0		26.6	252	309.0
95	3.00	-0.08	100.5	-0.54	7.4		3.0	37.50	98.5		3.15	1.75	5.3	43.50	168.0	3.0	27.0	261	315.0
100	3.00		105.5		7.4		3.0	41.90	103.5		3.15	1.75		46.70	165.0		26.8	280	312.0

